CITY OF LINCOLN/LANCASTER COUNTY PLANNING STAFF REPORT

<u>P.A.S.:</u> FP#02008, Pine Lake Heights South 4th Addition <u>Date:</u> August 16, 2002

PROPOSAL: A final plat consisting of 81 lots and eight outlots.

LAND AREA: 212.65 acres more or less.

CONCLUSION: The final plat conforms to the approved preliminary plat.

RECOMMENDATION: Approve

GENERAL INFORMATION:

LEGAL DESCRIPTION: See legal description on the attached final plat.

LOCATION: Northeast of the intersection of South 27th Street and Yankee Hill Road.

OWNERS/

APPLICANTS: John Brager and Thomas White Gerald Schleich

Ridge Development Co. Southview, Inc.

PO Box 22296 3901 Normal Boulevard Lincoln, NE 68542 Lincoln, NE 68506

CONTACT: Michael R. Johnson, Olsson Associates

1111 Lincoln Mall Lincoln, NE 68508

EXISTING ZONING: R-3 Residential

EXISTING LAND USE: This site is undeveloped, but is being graded in anticipation of construction.

SURROUNDING LAND USE AND ZONING:

North Residential R-3
South Agriculture AG
East Agriculture AG

West Agriculture AG, and a Change of Zone from AG to R-4

pending (Stone Ridge Estates Apartments)

HISTORY: PP#00029 - The preliminary plat for Pine Lake Heights South 4th was approved **April 5, 2002.**

CZ#3297 - Approved **April 5, 2002**, changed the zoning from R-4, B-2, and O-3 to R-3 for all land within the limits of the preliminary plat of Pine Lake Heights South 4th.

CZ#3298 - Approved **April 5, 2002**, changed the zoning from R-3 to R-4, B-2 and O-3 for those lands within the limits of the preliminary plat of Pine Lake Heights South 4th.

ANALYSIS:

- 1. The final plat conforms to the approved preliminary plat.
- 2. Executive orders have been approved for the completion of street paving, water mains, sanitary sewers, storm sewers, and ornamental street lighting. An escrow of security fund has been created to guarantee the completion of sidewalks, street trees, street name signs, and the installation of permanent markers.
- 3. There are no delinquent taxes against the land and there are no liens for taxes which have been levied but not yet delinquent and all special assessment installment payments are current.
- 4. A subdivision agreement is required and will be submitted to the owners for their signature.

Prepared by:

Brian Will, AICP
Planner


F:\FILES\Planning\PC\FP\02000\FP02008.Pine Lake Heights S 4th.bjw.wpd



Final Plat #02008
Pine Lake Heights South 4th Addition
Pine Lake Rd. from S. 27th to S 40th St.




m:\plan\arcview\02_fp\fp02008 Photograph Date: 1999



Final Plat #02008 Pine Lake Heights South 4th Addition Pine Lake Rd. from S. 27th to S 40th St.

Zoning: R-1 to R-8 AG Residential District One Square Mile Agricultural District Agricultural Residential District Residential Convervation District AGR Sec. 19 T9N R7E R-C 0-1 Office District Suburban Office District Office Park District 0-2 Residential Transition District Local Business District Planned Neighborhood Business District Commercial District Lincoln Center Business District Planned Regional Business District Interstate Commercial District B-4 B-5 H-1 H-2 H-3 H-4 I-1 I-2 I-3 P Highway Business District Zoning Jurisdiction Lines Highway Commercial District General Commercial District Industrial District Industrial Park District Employment Center District Public Use District City Limit Jurisdiction

m:\plan\arcview\02_fp\fp02008



PINE LAKE HEIGHTS SOUTH 4TH ADDITION

FINAL PLAT

THIS PLAT IS BASED UPON PRELIMINARY PLAT
NO. 00029 FOR PINE LAKE HEIGHTS SOUTH 4TH ADDITION

INDEX OF SHEETS:

SHEET 1: COVER SHEET, VINCINITY MAP

SHEET 2: FINAL PLAT DRAWING SHEET 3: FINAL PLAT DRAWING

SHEET 4: FINAL PLAY DRAWING

SHEET 5: FINAL PLAT DRAWING

SHEET 6: FINAL PLAT DRAWING, LOT AREA TABLE


SHEET 7: FINAL PLAT DRAWING, CURVE DATA


SHEET 8: SURVEYOR'S CERTIFICATE


SHEET 9: DEDICATION, ACKNOWLEDGMENT OF NOTARY


LIEN HOLDERS CONSENT


PLANNING COMMISSION APPROVAL












PINE LAKE HEIGHTS SOUTH 4TH ADDITION

200094-6

11	 -		,	_									ı
130 000		BLOCK 6			E	LOT AREA TABLE							
1	AREA IN AC.	AREA IN SF	OT NUMBER	101		BLOCK 1							
lk .	0.2124 AC	9,251,95 SF	Q1 1	TOI									
	0,2121 AC 0,2121 AC	9,251,95 SF 9,240,00 SF 9,240,00 SF 12,007,12 SF	01.3	AC. LOT	AREA IN AC	AREA IN SE	LOT NUMBER		OTHER DESIGNATION				
187	0.2756 AC	12.007.12 SF	OT 4	AC LOT	29.4 <u>813</u> AC	1,284,205,13 SF			OUTLOT "H" BLANKET LITELITY EASEMENT				
[·	0.2380 AC	10,365.30 SF	OT 5	LQT		BLOCK 2	L	17	RESERVED FOR SITTIRE DEVELOPMENT				
115	0.1849 AC	6.055.30 SF 1	OT 6	AC LOT	29,4813 AC	1,284,205.13 SF	LOT 1 LOT 2	NCE	AFTER FINAL PLATTING IN ACCORDANCE WITH THE APPROVED PRELIMINARY				
	0.1849 AC 0.2102 AC	8.055.30 SF 9.155.30 SF	OT 8	AC LOT	0.1852 AC	8,065,46 SF	LOT 2		PLAT ON FILE WITH THE CITY OF				
P-	0.2104 AC	9,163.00 SF		LOT		BLOCK 3			LINCOLN.				
	0.1894 AC	8,249,10 SF	OT 10 OT 11	LOT	0.2270 AC	9,887,99 SF	LOT 1						
	0.1894 AC 0.2034 AC	8.860.93 SF	OT 11	AC LOT	0.2033 AC	8,653.89 SF	LOT 2						
1 10	0.2153 AC	9.378.01 SF 12.127.92 SF	01 12	AC LUI	0.1871 AC	8,148,00 SF	LOT 3				ŀ		
	0.2784 AC		QT 13	AC LU	0.2188 AC 0.1905 AC	9,532,73 SF 8,298,73 SF	LOT 4				l l		
		BLOCK 7		.AC	0.1905_AC	8.298.73 SF	LOT 5				ı		
15	0.2354 AC	10.252,95 SF 7,944,37 SF 10.513,79 SF	OT t	4.0	0.1846 AC 0.1846 AC	8,040,00 SF 8,040,00 SF	LOT 7				l		
1	0,1824 AC	7.944.37 SF	OT 2	AC LOT	0.1846 AC	8,040,00 SF	LOT 8				Ŋ		
16	0.2414 AC	10.513.79 SF	OT 3		0.1845 AC	6,040.00 SF	LOT 9				m		
	0.1967 AC	8.566.92 SF 8.489.05 SF	OT 4	ACTCT	0.2448 AC	10.663.94 SF	LOT 10				N		
3	0,1949 AC 0,2573 AC	11,208.09 SF	OT 6	LOT		BLOCK 4	!				- آ		
3	0.2576 AC	11,219.85 SF		LOT	0.2768 AC	12,059.30 SF	TOT 1				1		
- 1		BLOCK 8		AC	0.1939 AC	12,059,30 SF 8,446,16 SF 8,053,63 SF 7,593,27 SF 7,480,00 SF 7,480,00 SF	LOT 2						-
[7]	0.3501.40		OT 1	AC LOT	0.1851 AC 0.1743 AC 0.1717 AC	8,053,53 SF	LOT 3				•		1
1 1	0.2561 AC 0.2089 AC	11.156.67 SF 9.098.52 SF 7.739.59 SF	ŎŤ 2	<u> </u>	0.1743 AC	7,593,27 SF	LOT 4			o.	SCALE: 1"=100		1
10	0,2089 AC 0,1777 AC	7,739.59 SF	01 3	AC LOT	0.1717_AC	7.480.00 SF	LOT 6			o .	3CALE; 1 = 100		١.
- 11	0,1777 AC	7.740.15 SF	OI_4	LOI	0,1717 AC	7,480.00 SF	LOT 6						'la
] [0.2298 AC	10.010.16 SE	01 5	AC JUI	0.1717 AC	7,480.00 SF	LQT 8						163.21
1		BLOCK 9		AC	0.1817_AC	7.916.91 SF	LOT 9						1
[0.2585 AC	11,259,46 SF	QT 1 1		0.2067 AC	9.005,16 SF 9.079,92 SF	LOT 10 LOT 11						ĺ
	0.1970 AC	8.580,00 SF 8.580,00 SF 10,715.58 SF	OT 2		0,2084 AC 0,2034 AC	8.858.32 SF	LOT 12						J
	0.1970 AC	8,580,00 SF	ot 3		0,2226 AC	8.858.32 SF 9.695.22 SF 10.072.71 SF	LOT 12 LOT 13 LOT 14						,
ਤੂ ₹੧	0.2460 AC		U1 4 1	AC 101	0.2312 AC	10.072.71 SF	LOT 14						
§2 3		BLOCK 10		40	0.2658 AC 0.2568 AC	11.579.15 SF	LOT 15						
ADDITION WAY TO LINCOLN	0.2530 AC	11,021.01 SF	OI 1	AC LUVI	0.2571 AC	11,188,00 SF 11,197,49 SF	[LOT 17						
* = =	0.2900 AC	12,630.86 SF	012	AC 13 LUI	0.1939 AC	8,444.4B SF	LQT 18						
279	ł	BLOCK 11		AC 1	0.1818 AC	7,920.00 SF	LOT 19 LQT 20						
030 F 7	0.2853 AC	12,429,39 SF	07 1		0.1818 AC 0.1818 AC	7,920,00 SF 7,920.00 SF	LOT 21						
500 C	0.2079 AC	9.056.28 SF			0.1818 AC	7.920.00 SF	LOT 22						
		BLOCK 12		AC	0.1818 AC	7.920.00 SF 7.920.00 SF	LOT 23						_
] 🖺	0.2903 AC	12.643.30 SF	5f 1	AC LÓI	0.1818 AC	7 9 1 R 4 1 SF	LOT 24						
} .	0.2303 AC		¥1,/		0.1962 AC 0.2200 AC	9.584.30 CF	LOT 25 LOT 26					15	`
		OUTLOTS		AC	0.2200 AC 0.3033 AC	8.545.13 SF 9.584.39 SF 13.213.33 SF	LOT 27						. 1
		EN SPACE) 5,458.17		LUI		BLOCK 5						5/4	. 0
11.		EN SPACE) 1,798.30			A 3700 10		LOT 1					١٣	
11		EN SPACE) 3,247.36		AC LOT	0,2398 AC	10,444.19 SF 6,049.75 SF	LOT 2					3	оста
Į.	12.0506 AC	524,922,89 SF		AC LOT	0.2939 AC	12,804,46 SF	LOT 3					žį.	Ë
	38.6313 AC 13.3376 AC	1,682,779.22 SF 580,984.89 SF		AC LOT	0.1986 AC	8.649.10 SF	LOT 4			DEDICATE ADDITIONAL RIGHT-OF-WAY TO		9 8	×
	9.6623 AC	420,887.72 SF		AL .	0.2923 AC	12.730.55 SF 7.546.58 SF	LOT 5			COTY OF LINCOLN	526'29'01'2	_ 🖼	- ŭ_
	82.4682 AC	3,592,313.60 SF			0.1732 AC 0.2294 AC	9,993,41 SF	LOT 6	LES TRANSMISSION UNE EASEMENT —)			- 9.03°	١,	
DONAL 14							<u>-</u>	· - 	·	 			
.√° — [[¥	RIGHT-OF-WA				- -	r-10'	1881.531					_	
TIONAL TO					·	L			5 2582 OS'			!	шт
			-								· 		11174
≠ = } •								042.29' 8'05'40'w - YANKEE-	N6805	-			
*1	_		· <u></u>	┸┈									
=	OF COCATE ADD RIGHT-OF-AWA OF LINCO				HIL.	-10'	1881.53'		8 2582.05' ROAD NBR'05'40"W 24-2 NBR'05'40"W 08-05			HIII	

SHEET 6 OF 9

PINE LAKE HEIGHTS SOUTH ATH ADDITION



PINE LAKE HEIGHTS SOUTH 4TH_ADDITION

FINAL PLAT

SURVEYORS CERTIFICATE

I HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED THE SUBDIVISION TO BE KNOWN AS PINE LAKE HEIGHTS SOUTH 4TH ADDITION. A SUBDIVISION COMPOSED OF LOT 27 I.T., LOT 31 I.T., AND LOT 32 I.T., OUTLOT "G" PINE LAKE HEIGHTS 11TH ADDITION, OUTLOT "B" PINE LAKE HEIGHTS SOUTH ADDITION, AND OUTLOT "A" AND LOT I BLOCK 4 PINE LAKE HEIGHTS SOUTH 3RO ADDITION ALL LOCATED IN THE SOUTH HALF OF SECTION 19, TBN, R7E OF THE 6TH. P.M., CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING FROM THE SOUTHEAST CORNER OF SAID LOT 31 I.T., SAID POINT BEING 60.00 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER, AND 50.00 NORTH OF THE SOUTH LINE OF SAID SOUTHEAST QUARTER, SAID POINT BEING THE TRUE POINT OF BEGINNING, THENCE ON AN ASSUMED BEARING OF NORTH 88 DECREES OF MINUTES 40 SECONDS WEST ALONG THE SOUTH LINE OF SAID LOT 31 1.T., SAID LINE BEING 50.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 2,582.05 FEET TO A POINT OF DEFLECTION, THENCE SOUTH 88 DEGREES 45 MINUTES 30 SECONDS WEST ALONG THE SOUTH LINE OF SAID LOT 32 I.T., SAID LINE BEING 50.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SOUTHWEST QUARTER, A DISTANCE OF 2,539.92 FEET TO A SOUTHWEST CORNER OF SAID LOT 32 LT., THENCE NORTH OI DEGREES 14 MINUTES 30
SECONDS WEST ALONG A WEST LINE OF SAID LOT 32 LT., A DISTANCE OF 10.00
FEET TO A SOUTH CORNER OF SAID LOT 32 LT., THENCE SOUTH 8B DEGREES 45 MINUTES 30 SECONDS WEST ALONG A SOUTH LINE OF SAID LOT 32 I.T., SAID LINE BEING 60.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SOUTHWEST QUARTER, A DISTANCE OF 22.38 FEET TO A SOUTHWEST CORNER OF SAID LOT 32 LT., THENCE NORTH 45 DEGREES 38 MINUTES 19 SECONDS WEST ALONG A SOUTHWEST LINE OF SAID LOT 32 LT., A DISTANCE OF 34.98 WEST ALONG A SOUTHWEST CORNER OF SAID LOT 32 I.T., THENCE NORTH DO DEGREES OZ MINUTES 09 SECONDS WEST ALONG A WEST LINE OF SAID LOT 32 I.T., SAID LINE BEING 60.00 FEET EAST OF AND PARALLEL WITH THE WEST LINE OF SAID SOUTHWEST QUARTER, A DISTANCE OF 22.38 FEET TO A WEST CORNER OF SAID LOT 32 I.T., THENCE SOUTH B9 DECREES 57 MINUTES 51 SECONDS WEST ALONG A SOUTH LINE OF SAID LOT 32 1.1., A DISTANCE OF 10.00 FEET TO A SOUTHWEST CORNER OF SAID LOT 32 1.T., THENCE NORTH OD DEGREES 02 MINUTES OB SECONDS WEST OF SAID LOT 32 1.T., SAID LINE BEING 50.00 FEET EAST OF AND PARALLEL WITH THE WEST LINE OF SAID SOUTHWEST QUARTER. A DISTANCE OF 1,263.06 FEET TO A POINT OF INTERSECTION WITH THE SOUTH LINE OF O'HANLON DRIVE RIGHT-OF-WAY, THENCE NORTH 89 DEGREES 57 MINUTES 52 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 312:00 FEET TO A POINT OF CURVATURE, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 241.00 FEET, ARC LENGTH OF 77.03 FEET, DELTA ANGLE OF 18 DEGREES 18 MINUTES 46 SECONDS. A CHORD BEARING OF SOUTH BO DECREES 52 MINUTES 45 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 76.70 FEET TO A POINT, THENCE NORTH 18 DEGREES 16 MINUTES 38 SECONDS EAST ALONG A SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 38.24 FEET TO A POINT, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 1,540.00 FEET, ARC LENGTH OF 78.88 FEET, DELTA ANGLE OF 02 DEGREES 56 MINUTES 05 SECONDS, A CHORD BEARING OF NORTH 83 DEGREES 50 MINUTES 05 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 78.87 FEET TO A POINT. THENCE SOUTH OF DEGREES 44 MINUTES 26 SECONDS EAST ALONG A WEST LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 29.56 FEET TO A POINT. THENCE NORTH 82 DECREES 15 MINUTES 34 SECONOS EAST ALONG A SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 80.00 FEET TO A POINT, THENCE NORTH 07 DECREES 44 MINUTES 26 SECONDS WEST ALONG A EAST LINE OF SAID RIGHTOOF-WAY, A DISTANCE OF 31.48 FEET TO A POINT, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 1,540.00 FEET, ARC LENGTH OF 143.25 FEET, DELTA ANGLE OF 05 DEGREES 19 MINUTES 47 SECONDS, A CHORD BEARING OF NORTH 76 DEGREES 43 MINUTES 29 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 143,20 FEET TO A POINT OF REVERSE CURVATURE, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 970.00 FEET, ARC LENGTH OF 305.65 FEET, DELTA ANGLE OF 18 DEGREES 03 MINUTES 15
SECONDS, A CHORD BEARING OF NORTH 83 DEGREES 05 MINUTES 14 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 304.39 FEET TO A POINT OF TANGENCY, THENCE SOUTH 87 DECREES 53 MINUTES OF SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY. A DISTANCE OF 177.03 FEET TO A POINT OF CURVATURE, THENCE ALONG A

CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 530,00 FEET, ARC LENGTH OF 185.50 FEET, DELTA ANGLE OF 20 DEGREES 03 MINUTES 14 SECONDS, A CHORD BEARING OF NORTH 82 DEGREES 05 MINUTES 14
SECONDS EAST ALONG THE SOUTH LINE OF SAID RICHT-OF-WAY, AND A CHORD LENGTH OF 184.56 FEET TO A POINT OF REVERSE CURVATURE, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 275,00 FEET, ARC LENGTH OF 151.42 FEET, DELTA ANGLE OF 31 DEGREES 32 MINUTES 55 SECONDS, A CHORD BEARING OF NORTH 87 DEGREES 50 MINUTES 05 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 149.52 FEET TO A POINT OF TANGENCY, THENCE SOUTH 76 DEGREES 23 MINUTES 28 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 73.28 FEET TO A POINT OF INTERSECTION WITH THE WEST LINE OF BROWNOND DRIVE RIGHT-OF-WAY, THENCE ALONG A CURVE IN A CLOCKIMSE DIRECTION, HAVING A RADIUS OF 820,00 FEET, ARC LENGTH OF 30.00 FEET, DELTA ANGLE OF 02 DEGREES 46 MINUTES 22 SECONDS, A CHORD BEARING OF SOUTH 23 DECREES OF MINUTES 45 SECONDS WEST ALONG THE WEST LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 30.00 FEET TO A POINT THENCE SOUTH 65 DEGREES 35 MINUTES 04 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 60.00 FEET TO A POINT, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 680.00 FEET, ARC LENGTH OF 383.44 FEET, DELTA ANGLE OF 32 DEGREES 18 MINUTES 30 SECONDS, A CHORD BEARING OF NORTH 08 DEGREES 15 MINUTES 41 SECONDS EAST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY. AND A CHORD LENGTH OF 378.38 FEET TO A POINT OF TANGENCY, THENCE NORTH OF DEGREES 53 MINUTES 34 SECONDS WEST ALONG THE EAST LINE OF SAID RICHT-OF-WAY, A DISTANCE OF 194.05 FEET TO A POINT OF CURVATURE, THENCE ALONG A CURVE IN A CLOCKMSE DIRECTION, HAVING A RADIUS OF 720.00 FEET, ARC LENGTH OF 374.91 FEET, DELTA ANGLE OF 29 DEGREES 50 MINUTES 05 SECONDS, A CHORD BEARING OF NORTH OF DEGREES OF MINUTES 29 SECONDS EAST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 370.69 FEET TO A POINT OF REVERSE CURVATURE, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 455.00 FEET, ARC LENGTH OF 57.57 FEET, DELTA ANGLE OF 07 DEGREES 14 MINUTES 58 SECONDS. A CHORD BEARING OF NORTH 18 DEGREES 19 MINUTES 03 SECONDS EAST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 57.53 FEET TO A POINT, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 61.50 FEET, ARC LENGTH OF 138.17 FEET, DELTA ANGLE OF 128 DEGREES 43 MINUTES 33 SECONDS. A CHORD BEARING OF NORTH OF DEGREES 41 MINUTES 36 SECONDS EAST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 110.89 FEET TO A POINT, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 455.00 FEET, ARC LENGTH OF 5.99 FEET, DELTA ANGLE OF OD DECREES 45 MINUTES 15 SECONDS, A CHORD BEARING OF NORTH OD DEGREES 19 MINUTES DI SECONDS EAST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY. AND A CHORD LENGTH OF 5.99 FEET TO A POINT OF TANGENCY. THENCE NORTH OO DEGREES 03 MINUTES 37 SECONDS WEST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 89.50 FEET TO THE NORTHWEST CORNER OF LOT 1 BLOCK 4 PINE LAKE HEIGHTS SOUTH 3RD ADDITION. THENCE SOUTH 80 DEGREES 35 MINUTES 44 SECONDS EAST ALONG THE NORTH LINE OF SAID LOT 1, A DISTANCE OF 615.67 FEET TO THE NORTHCLAST CORNER OF SAID LOT 1, THENCE SOUTH 45 DEGREES 42 MINUTES 16 SECONDS WEST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 40.57 FEET TO A POINT. THENCE SOUTH 46 DEGREES 34 MINUTES 21 SECONDS EAST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 81.38 FEET TO A POINT, THENCE SOUTH 52 DEGREES 19 MINUTES 38 SECONDS EAST ALONG A EAST LINE OF SAID LOT 1. A DISTANCE OF 84.00 FEET TO A POINT, THENCE SOUTH 57 DEGREES 53 MINUTES 55 SECONDS EAST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 83.00 FEET TO A POINT, THENCE SOUTH 19 DEGREES 09 MINUTES 29 SECONDS WEST ALONG A EAST LINE OF SAID LOT 1. A DISTANCE OF 75.08 FEET TO A POINT, THENCE SOUTH 15 DEGREES SB MINUTES 45 SECONDS WEST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 76.02 FEET TO A POINT, THENCE SOUTH OB DEGREES 18 MINUTES 27 SECONDS WEST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF MINUTES 27 SECTION A PERSON THE SOUTH ON DEGREES 02 MINUTES 31 SECONDS WEST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 66.73 FEET TO A POINT, THENCE SOUTH OO DEGREES 02 MINUTES 27 SECONDS EAST ALONG A EAST LINE OF SAID LOT 1, A DISTANCE OF 454.04 FEET TO THE NORTHWEST CORNER OF OUTLOT "B" PINE LAKE HEIGHTS SOUTH ADDITION, THENCE NORTH B9 DEGREES 57 MINUTES 33 SECONDS EAST ALONG THE NORTH LINE OF SAID QUILOT 18", A DISTANCE OF 110,00 FEET TO A POINT OF INTERSECTION WITH THE WEST LINE OF SOUTH 33RD STREET RIGHT-OF-WAY, THENCE SOUTH OD DEGREES 02 MINUTES 27 SECONDS EAST ALONG THE WEST OF SAID RIGHT-OF-WAY, A DISTANCE OF 10.00 FEET TO A POINT, THENCE NORTH 89 DEGREES 57 MINUTES 33 SECONDS EAST ALONG THE SOUTH LINE OF SAID RIGHT-OF-WAY. A DISTANCE OF 60.00 FEET TO A POINT, THENCE NORTH OD DEGREES 02 MINUTES 27 SECONOS WEST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 10.00 FEET TO A POINT, THENCE NORTH 89 DEGREES 57 MINUTES

33 SECONDS EAST ALONG THE NORTH LINE OF SAID OUTLOT "B", A DISTANCE OF 110.00 FEET TO A POINT, THENCE NORTH OF DEGREES 02 MINUTES 27 SECONDS WEST ALONG A WEST LINE OF SAID OUTLOT "B". A DISTANCE OF 338.86 FEET TO A NORTHWEST CORNER OF SAID DUTLOT "B". THENCE NORTH 89 DEGREES 57 MINUTES 17 SECONDS EAST ALONG THE NORTH LINE OF SAID OUTLOT "B". A DISTANCE OF 258.30 FEET TO A POINT OF INTERSECTION WITH THE WEST LINE OF SOUTH 34TH STREET RIGHT-OF-WAY. THENCE SOUTH 00 DEGREES 02 MINUTES 43 SECONDS EAST ALONG THE WEST LINE OF SAID RIGHT-OF-WAY. A DISTANCE OF 10.00 FEET TO A POINT. THENCE NORTH 89 DEGREES 57 MINUTES 17 SECONDS EAST ALONG A SOUTH LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 60.00 FECT TO A POINT, THENCE NORTH OD DEGREES 02 MINUTES 43 SECONDS WEST ALONG A EAST LINE OF SAID RIGHT-OF-WAY, A DISTANCE OF 26.98 FEET TO A POINT, THENCE NORTH 89 DEGREES 57 MINUTES 33 SECONDS EAST ALONG THE MORTH LINE OF SAID OUTLOT "B". A DISTANCE OF 110.00 FEET TO THE NORTHEAST CORNER OF SAID OUTLOT "B", THENCE SOUTH OO DEGREES 02 MINUTES 43 SECONDS EAST ALONG THE EAST LINE OF SAID OUTLOT "8", A DISTANCE OF 252.10 FEET TO THE NORTHWEST CORNER OF LOT 31 I.T. SOUTH 89 DEGREES 36 MINUTES 14 SECONDS EAST ALONG THE NORTH LINE OF SAID LOT 31 LT., A DISTANCE OF 789.77 FEET TO THE SOUTHWEST CORNER OF OUTLOT "G" PINE LAKE HEIGHTS 11TH ADDITION, THENCE NORTH OD DEGREES 02 MINUTES 43 SECONDS WEST ALONG THE WEST LINE OF SAID OUTLOT "G". A DISTANCE OF 102.84 FEET TO THE NORTHWEST CORNER OF SAID OUTLOT "G". THENCE NORTH 89 DEGREES 57 MINUTES 17 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "C". A DISTANCE OF 232.60 FEET TO A POINT, THENCE NORTH 81 DEGREES 50 MINUTES 13 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "G", A DISTANCE OF 362.13 FEET TO A POINT, THENCE NORTH 85 DECREES 36 MINUTES 54 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "G". A DISTANCE OF 68.50 FEET TO A POINT. THENCE SOUTH 89 DEGREES 26 MINUTES 21 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "G". A DISTANCE OF 219.97 FEET TO A POINT, THENCE SOUTH 79 DEGREES 04 MINUTES 53 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "G", A DISTANCE OF 62.04 FEET TO A POINT, THENCE SOUTH 89 DEGREES 35 MINUTES 16 SECONDS THE NORTHEAST CORNER OF SAID OUTLOT "G", A DISTANCE OF 281.09 FEET TO THE NORTHEAST CORNER OF SAID OUTLOT "G". SAID POINT BEING 68,00 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER, THENCE SOUTH OO DEGREES 05 MINUTES 36 SECONDS WEST ALONG THE EAST LINE OF SAID OUTLOT "G". A DISTANCE OF 32.15 FEET TO A POINT, SAID POINT BEING 68.00 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER. THENCE SOUTH OD DEGREES 46 MINUTES 15 SECONDS EAST ALONG THE EAST LINE OF SAID OUTLOT "G", A DISTANCE OF 120.07 FEET TO THE SOUTHEAST CORNER OF SAID OUTLOT "G", SAID POINT BEING 66.19 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER, THENCE SOUTH DO DECREES 45 MINUTES 55 SECONDS EAST ALONG THE EAST LINE OF SAID LOT 31 I.T., A DISTANCE OF 1,080.05 FEET TO A POINT, SAID POINT BEING 50.00 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER. THENCE SOUTH OO DEGREES 05 MINUTES 36 SECONDS WEST ALONG THE CAST LINE OF SAID LOT 31 L.T., A DISTANCE OF 499.63 FEET TO A POINT, SAID POINT BEING 50.00 FEET WEST OF THE EAST LINE OF SAID SOUTHEAST QUARTER, THENCE SOUTH 03 DEGREES 00 MINUTES 43 SECONDS WEST ALONG THE EAST LINE OF SAID LOT 31 I.T., A DISTANCE OF 196.41 FEET TO THE POINT OF BEGINNING, SAID TRACT CONTAINS A CALCULATED AREA OF 9,262,837.63 SQUARE FEET OR 212.65 ACRES, MORE OR LESS.

PERMANENT MONUMENTS HAVE BEEN FOUND OR SET AT ALL BOUNDARY CORNERS, STREET INTERSECTIONS, BLOCK CORNERS, POINTS OF TANGENCY AND CURVATURE AS SHOWN ON THE PLAT IN ACCORDANCE WITH THILE 26 OF THE LINCOLN MUNICIPAL CODE. TEMPORARY MARKERS HAVE BEEN PLACED AT ALL LOT CORNERS AND THE OWNER MILE PLRNISH TO THE CITY OF LINCOLN A STAKING BOND TO INSURE THE PLACING OF PERMANENT MONUMENTS AT ALL SUCH LOT CORNERS PRIOR TO THE CONSTRUCTION ON OR CONVEYANCE OF ANY LOT SHOWN ON THIS FINAL PLAT. ALL DIMENSIONS ARE CHORD MEASUREMENTS UNLESS OTHERWISE SHOWN, AND ARE IN FEET AND DECINALS OF A EPOLY.

DATE

WICHAEL R. JOHNSON OLSSON ASSOCIATES 1111 LINCOLN MALL LINCOLN, NE. 6850B L.S. NUMBER

PINE LAKE HEIGHTS SOUTH 4TH ADDITION

FINAL PLAT

DEDICATION

THE FOREGOING PLAT, IS KNOWN AS PINE LAKE HEIGHTS SOUTH 4TH ADDITION. A SUBDIVISION COMPOSED OF LOT 27 LT., LOT 31 LT., AND LOT 32 LT., OUTLOT "G" PINE LAKE HEIGHTS 11TH ADDITION, OUTLOT "B" PINE LAKE HEIGHTS SOUTH ADDITION, AND COUTLOT "A" AND LOT 1 BLOCK 4 PINE LAKE HEIGHTS SOUTH ADDITION, AND OUTLOT "A" AND LOT 1 BLOCK 4 PINE LAKE HEIGHTS SOUTH AND ADDITION ALL LOCATED IN THE SOUTH HALF OF SECTION 19, T9N, R7E OF THE 6TH, PJM., CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, AND IS MORE PARTICULARLY DESCRIBED IN THE SURVEYOR'S CERTIFICATE. THIS DEDICATION IS MADE WITH THE FREE CONSENT AND IN ACCORDANCE WITH THE DESIRES OF THE UNDERSIGNED, SOLE OWNER(S), AND THE EASEMENTS SHOWN THEREON ARE HEREBY GRANTED IN PERPETUITY TO THE CITY OF LINCOLN, NEBRASKA, A MUNICIPAL CORPORATION, ALLEL, TIME WARNER ENTERTAINMENT—ADVANCE/NEWHOUSE, AQUILA, THEIR SUCCESSORS AND ASSIGNS, TO ALLOW ENTRY FOR THE PURPOSE OF CONSTRUCTION, RECONSTRUCTION, REPLACEMENT, REPAIR, OPERATION AND MAINTENANCE OF WIRES, CABLES, CONDUITS, FIXTURES, POLES, TOWERS, PIPES, AND EQUIPMENT FOR THE DISTINBUTION OF ELECTRICITY AND CAS; TELEPHONE AND CABLE TELEVISION; WASTEWATER COLLECTORS; STORM DRAINS; WATER MAINS AND ALL APPURIENNACES THERETO, OVER, UPON, OR UNDER THE EASEMENTS AS SHOWN ON THE FOREGOONG PLAT.

THE CONSTRUCTION OR LOCATION OF ANY BUILDING OR STRUCTURE, EXCLUDING FENCES, OVER UPON, OR UNDER ANY EASEMENT SHOWN THEREON SHALL BE PROMISITED.

THE CONSTRUCTION OR LOCATION OF ANY FENCE OR OTHER IMPROVEMENT WHICH OBSTRUCTS DRAINAGE SHALL BE PROHIBITED OVER, UPON, OR UNDER ANY STORM DRAIN EASEMENT OR DRAINAGE EASEMENT SHOWN THEREON,

THE CITY OF LINCOLN, ITS SUCCESSORS OR ASSIGNS ARE HEREBY HELD HARMLESS FOR THE COST OF REPLACEMENT OR DAMAGE TO ANY IMPROVEMENT OR VEGETATION OVER, UPON, OR UNDER ANY EASEMENT SHOWN THEREON.

THE STREETS SHOWN ARE HEREBY DEDICATED TO THE PUBLIC. THE ACCESS EASEMENTS AND THE PEDESTRIAN WAY EASEMENTS SHOWN THEREON SHALL BE USED FOR PUBLIC ACCESS AND THE PUBLIC IS HEREBY GRANTED THE RICHT OF SUCH USE.

THE RICHT OF DIRECT VEHICULAR ACCESS TO SOUTH 27TH STREET, SOUTH 40TH STREET, AND YANKEE HILL ROAD FROM LOTS ABUTTING SAID STREET(S) IS HEREBY RELINQUISHED.

WITNESS MY HAND THIS ____ DAY OF ______ . 20____

THOMAS E. WHITE, PRESIDENT OF DEVELOPMENT DIVISION RIOGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION

JOHN C. BRAGER, PRESIDENT OF CONSTRUCTION DIVISION RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION

GERALD L. SCHLEICH, PRESIDENT SOUTHWIEW INC., A NEBRASKA CORPORATION

CATHOLIC BISHOP OF LINCOLN A NEBRASKA NONPROFIT CORPORATION

BY: NAME: TITLE:

HORIZONS COMMUNITY UNITED METHODIST CHURCH A NEBRASKA NONPROFIT CORPORATION

BY: NAME: TITLE: 200094-9

ACKNOWLEDGMENT OF NOTARY

STATE OF NEBRASKA COUNTY OF LANCASTER

ON THIS_DAY OF . 20__, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME THOMAS E. WHITE WHO IS PERSONALLY KNOWN TO ME TO BE THE DENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESIDENT OF DEVELOPMENT DIVISION, RIGGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION AND HE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED OR THE VOLUNTARY ACT AND DEED OR SAID COMPANY.

NOTARY PUBLIC

ACKNOWLEDGMENT OF NOTARY

STATE OF NEBRASKA COUNTY OF LANCASTER

NOTARY PUBLIC

ACKNOWLEDGMENT OF NOTARY

STATE OF NEBRASKA COUNTY OF LANCASTER

ON THIS. DAY OF .20 . BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME JOHN C. BRAGER WHO IS PERSONALLY KNOWN TO ME TO BE THE IDENTICAL PERSON WHOSE NAME IS AFRIXED TO THIS PLAT AS PRESIDENT OF CONSTRUCTION DIMISION, RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION AND HE ACKNOWLEGGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED OF SAID COMPANY.

NOTARY PUBLIC

ACKNOWLEDGMENT OF NOTARY

STATE OF NEBRASKA COUNTY OF LANCASTER

THE FOREGOING WAS ACKNOWLEDGED BEFORE ME THIS _____ DAY OF ______ , 20 _____ BY______ AS_______ OF THE CATHOLIC BISHOP OF LINCOLN, A NEBRASKA NONPROFIT CORPORATION, ON BEHALF OF THE NONPROFIT CORPORATION.

NOTARY PUBLIC

ACKNOWLEDGMENT OF NOTARY

STATE OF NEBRASKA COUNTY OF LANCASTER

NOTARY PUBLIC

FNProjects\20010796\YMat\0+g\YFPPtH\$4 ong 04/19/2002 1145-10 AM CDT

LIEN HOLDER CONSENT AND SUBORDINATION

THE UNDERSIGNED, HOLDER OF THAT CERTAIN LIEN AGAINST THE REAL PROPERTY DESCRIBED IN THE PLAT KNOWN AS PINE LAKE HEIGHTS SOUTH 4TH ADDITION (HEMEINAFTER "PLAT"), SAID LIEN BEING RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS OF LANCASTER COUNTY, NEBRASKA, AS INSTRUMENT NO.94-39183, 38-003235, 99054449, 2001-035219, 2001-07088, 2001-070883(HEREINAFTER "LIEN"), DOES HEREBY CONSENT TO THE DEDICATION OF AND SUBORDINATE THE LIEN TO ANY UTILITY (SEWER, WATER, ELECTRIC, CABLE TV, TELEPHONE, NATURAL GAS) EASEMENTS, OR STREETS, OR ROADS, PEDESTRIAN WAY EASEMENTS, AND ACCESS EASEMENTS AND RELINOUISHMENTS OF ACCESS, DEDICATED TO THE PUBLIC, ALL AS SHOWN ON THE PLAT, BUT NOT OTHERWISE. THE UNDERSIGNED CONFIRMS THAT IT IS THE HOLDER OF THE LIEN AND HAS NOT ASSIGNED THE LIEN TO ANY OTHER PERSON.

PINNACLE BANK

BY: LYNNETTE NELSON TITLE: LOAN OFFICER AND ESCROW AGENT

ACKNOWLEDGMENT

STATE OF NEBRASKA COUNTY OF LANCASTER

NOTARY PUBLIC

PLANNING COMMISSION APPROVAL

ATTEST:

SHEET 9 OF 9